


R E M A R K S

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "VERSION WITH MARKINGS TO SHOW CHANGES MADE".

Respectfully submitted,

YOUNG & THOMPSON

By



Thomas W. Perkins  
Attorney for Applicants  
Registration No. 33,027  
Customer No. 00466  
745 South 23<sup>rd</sup> Street  
Arlington, VA 22202  
Telephone: 703/521-2297

December 26, 2001

VERSION WITH MARKINGS TO SHOW CHANGES MADE

The claims have been amended as follows:

5. (amended) A method according to ~~one of claims~~  
~~1-4~~claim 1, comprising the step of: adjusting the distance  
(D1, D2) between the anterior (8) and posterior (10) leaflet  
bases by varying the length of said stabilizing element (14).

6. (amended) A method according to ~~one of claims~~  
~~1-5~~claim 1, comprising the step of: attaching the stabilizing  
element (14) to the atrial side of each leaflet base (8; 10),  
said stabilizing element (14) serving as a support for said  
leaflets (4, 6).

8. (amended) A method according to ~~one of claims~~  
~~2-7~~claim 2, comprising the steps of: encasing said steerable  
applicator (32) (catheter) in an inserting device (guidance  
sheath) for penetrating the human skin and achieving a venous  
access port; extending the steerable applicator (32) from a  
maneuvering device at a proximal end outside said access port,  
through the femoral vein, the inferior vena cava and the right  
atrium to penetrate the intra-atrial septum to the left atrium  
and; arranging the steerable applicator (32) (catheter) with  
a manipulative distal end (31) in one of said selected  
positions (26; 28).

15. (amended) A means according to ~~one of claims~~  
~~11-14~~claim 11, wherein the distance (D1, D2) between the  
anterior (8) and posterior (10) leaflet bases is adjustable by  
means of varying the length of said stabilizing element (14).

18. (amended) A means according to ~~one of claims~~  
~~11-17~~claim 11 , wherein the stabilizing element (14) is  
comprised of a rod or wire.

19. (amended) A means according to ~~one of claims~~  
~~11-17~~claim 12 , wherein the stabilizing element (14) is  
comprised of a number of rods or wires.

20. (amended) A means according to ~~one of claims~~  
~~11-17~~claim 13 , wherein the stabilizing element (14) is a  
structure comprising a number of rods or wires.

21. (amended) A means according to ~~one of claims~~  
~~11-17~~claim 14 , wherein the stabilizing element (14) is  
comprised of a strip or band.

22. (amended) A means according to ~~one of~~  
~~claims~~claim 11-17, wherein the stabilizing element (14) is  
comprised of a number of strips or bands.

23. (amended) A means according to claim ~~21~~22,  
wherein each strip or band is net-formed.

24. (amended) A means according to ~~one of claims~~  
~~20-22~~claim 20 , wherein an intermediate section of each  
structure, strip or band is shaped in the form of a ring.

25. (amended) A means according to ~~one of claims~~  
~~20-22~~claim 20 , wherein an intermediate section of each  
structure, strip or band is shaped in the form of a circular  
disc.

26. (amended) A means according to ~~one of claims~~  
~~11-25~~claim 11, wherein said steerable applicator (32) (cathe-

ter) is encased in an inserting device (guidance sheath) for penetrating the human skin to achieve a venous access port and extended, from a maneuvering device at a proximal end outside said access port, through the femoral vein, the inferior vena cava and the right atrium to penetrate the intra-atrial septum to the left atrium, the steerable applicator (32) (catheter) being arrangable with a manipulative distal end (31) in one of said selected positions (26; 28).

10025472-122601  
T0922T-275200T